

- Guangdong Ecocampor Vehicle Co., Ltd specialized in the camper trailers and caravan research, development, production and sale, with a workshop occupied more than 60 thousand square meters.
- Our factory comprised of 4 large production lines, a showroom for product exhibition and office area, generates products covering a number of different types of camper trailers and caravan, utilizing high level technology, advanced equipment and modern factory automation line.
- With professional skilled workers, excellent engineers, management personnel joint us and with us for more than 10 years. R&D teams and in-house design with established experience, allows our factory to quickly answer to demanding requirements and create from scratchwhole programs and collections with rigorous quality standards.





GUANGDONG ECOCAMPOR VEHICLE CO., LTD



COMPANY INTRODUCTION



We position ourselves as a Chinabased global camper trailer solution provider who helps clients develop and design differentiated products, with the aim of helping them win more market share. More than ten national patents under its belt, the team excels in assimilating global advanced technologies and techniques into its own R&D expertise.



HARDTOP CARAVAN

IGFT Off Road Caravan-----ECO-IGA

-----ECO-I6B

19FT Off Road Caravan-----ECO-19A

-----ECO-I9B

21.6FT Off Road Caravan------ECO-2IA

-----ECO-2IB

19FT Semi Off Road Caravan-----ECO-HKI9

HYBRID CARAVAN

I3FT Pop Top Caravan-----ECO-PI3

ISFT Pop Top Caravan-----ECO-PI5

TOY HAULER

I2FT Toy Hauler-----ECO-TI2

14.6FT Toy Hauler-----ECO-TI4

I9FT Toy Hauler-----ECO-TI9

MINI CRARVAN

Teardrop Caravan-----ECO-TDOI

MODEL INTRODUCTION



IGFT OFF-ROAD CARAVAN ECO-16A Luxury and compact space with shower Comfortable sleeping room Fully equipped with kitchen and Freezer Offroad with independent system

16FT OFF-ROAD CARAVAN ECO-16A

Description

Body size: 4868(L)*2201(W)*2070(H)/mm Vehicle size: 7777(L)*2300(W)*3093(H)/mm

Body structure: FRP gel coat plate + aluminum frame

+ XPS+ FRP gel coat plate

Floor structure: plastic honeycomb panel + PVC floor glue



Water supply system

Water purification tank: 2*95L Wastewater tank: 125L

Water heater: Truma 14L electrical

Water pump: 12V water pump, flow 11.3LPM External shower box (hot and cold water)

External single cold brass faucet with sink (with cover)

Restaurant space

Table: Pneumatic lifting table Number of sofa seats: 4 Sofa: black imitation leather

Traction system

Connector: Australian standard off-road connector

Maximum traction: 3500KG



Number of beds: 2-3

Mattress material: sponge mattress









Power supply and electrical system

Front car connector: 7-pin Australian standard flat connector 50A Anderson plug

Emergency brake system and Reflective sheet

Taillights sets (both have E4 certification)

Battery: maintenance-free battery, 12V150AH

Sine wave inverter, 12V to 240V, 2000W, with charging function

20A Solar controller and 12V, 100W*2 Solar panel

Power display: power meter (digital display)

Water level display: clean water level meter, sewage level meter

External mains socket: 220V-240V, 15A and 10 meters external charging cable In-car power sockets sets and Electric sockets sets outside the car

Lighting: LED lights

Axie system

Independent suspension system


Number of axes: single axis with Axle: ø60 round steel

Tires: 265/75R16





ECO-16A



Electrical appliances

Thetford 152L DC 12V refrigerator

Thetford 4-burner stove without oven

Thetford toilet and Micro-wave oven

Range hood and MP3 player

In-car audio*2 and Waterproof speaker outside the car*2

Dometic B3200 car air conditioner and Bathroom ventilation fan*1

400*400 sunroof with light *1

Windows: 700*800*2, 900*450*1, 700*400*1, 450*500*1

Illuminated door handle

CO alarm and Smoke detector

Front guide wheel: middle lift type Front stone net and Bubble level front box and Jacks*4

Side bumper and rear bumper Fire extinguisher: 1KG*1pc

Bathroom mirror and Bathroom door mirror

9KG gas bottle holder*2pcs



















IGFT OFF-ROAD CARAVAN ECO-IGB

Description

Body size: 4868(L)*2201(W)*2070(H)/mm Vehicle size: 7777(L)*2300(W)*3093(H)/mm

Body structure: FRP gel coat plate + aluminum frame + XPS+ FRP gel coat plate

Floor structure: plastic honeycomb panel + PVC floor glue Chassis material: iron pipe + hot-dip galvanized/galvanized pipe



Sleep ability

Number of beds: 4 (can sleep 5 person) Mattress material: sponge mattress

Restaurant space

Table: Pneumatic lifting table Number of sofa seats: 4 Sofa: black imitation leather

Traction system

Connector: Ball connector Maximum traction: 3500KG

Gas system

9KG gas bottle holder*2pcs



Water supply system

Water purification tank: 2*95L Wastewater tank: 125L Fiberglass bathroom Wet and dry partition bathroom and Sewage valve Faucet: hot and cold faucet (with certification) External shower box (hot and cold water) External single cold brass faucet with sink (with cover)

Accessories

Front guide wheel: middle lift type Front stone net and Bubble level front box and Jacks*4 Side bumper and rear bumper Fire extinguisher: 1KG*1pc







Electrical appliances

Thetford 152L DC 12V refrigerator Thetford 4-burner stove without oven Thetford toilet and Micro-wave oven Range hood and MP3 player Dometic B3200 car air conditioner and Bathroom ventilation fan*1 Windows: 700*800*2, 900*450*3, 1200*350*1, 450*500*1 Illuminated door handle CO alarm and Smoke detector

Axle system

Independent suspension system Number of axes: single axis with Axle: ø60 round steel

Brake: 12-inch electric brake with manual brake


Tires: 265/75R16





ECO-16B

ш



Power supply and electrical system

Front car connector: 7-pin Australian standard flat connector 50A Anderson plug and Reversing image Emergency brake system and Reflective sheet Taillights sets (both have E4 certification) Battery: maintenance-free battery,12V150AH Sine wave inverter, 12V to 240V, 2000W, with charging function

20A Solar controller and 12V, 100W*2 Solar panel Power display: power meter (digital display) Water level display: clean water level meter, sewage level meter External mains socket: 220V-240V, 15A and 10 meters external charging cable In-car power sockets sets and Electric sockets sets outside the car















OFF-ROAD CARAVAN ECO-19

The ECO-19 off-road caravan has brought variety, space and luxury to the hard roof caravan market at a price to suit the average user. The useful appliances make it perfect for long term travel.



I9FT OFF-ROAD CARAVAN ECO-19 — 🖫 📭 🗗 🖆 🚨 🗯 —

















Basic Information

Overall Size: 8511(L)*2276.5(W)*3034(H) mm Body Size: 5790(L)*2203(W)*2074(H)mm

Chassis material: Iron pipe + hot dipped galvanized steel

Body structure: FRP + aluminum frame + XPS

+ flame retardant plywood + FRP

Floor structure: plastic honeycomb panel + PVC floor









Water System

Fresh water tank: 2*95L Grey tank: 125L Wet and dry separation bathroom External shower box (hot and cold water)

Electrical system

7-pin Australian standard flat connector 50A Anderson plug Emergency brake system Light system Maintenance-free battery, 12V150AH*2 Inverter, 12V to 240V, 3000W, with charging function External mains socket: 220V-240V, 15A

Accessories

Jack and guide wheel Front stone net Front tool box Manual Aluminum Alloy Step Ladder Bumper Fire extinguisher

Sleeping Capacity

Berths: 4-5 person Mattress material of double bed: Foam mattress

Application

MP3 player Micro-wave oven Range hood Fogitta water heater THETFORD 152L fridge THETFORD stove with 4 head burner Thetford toilet Dometic Car Air Conditioner B3200 24 inch TV with TV stand

Gas system

Reverse image

9KG gas bottle holder*2


Axle System

Ball head connector Independent Suspension Double axle 12" heavy electric brakes, with handbrake "Tires: 265/75R 16C
















ECO-19 B

















Basic Information

Overall Size: 8908(L)*2300(W)*3138(H) mm Body Size: 6426.5(L)*2210(W)*2095(H)

Chassis material: Iron pipe + hot dipped galvanized steel

Body structure: wood board + aluminum frame + aluminum composite panel

Floor structure: plastic honeycomb panel + PVC floor









Axle System

Ball head connector Safety Chains* 2 Independent Suspension Double axle 12" heavy electric brakes, with handbrake "Tires: 265/75R 16C

Electrical system

7-pin Australian standard flat connector 50A Anderson plug Emergency brake system Light system Battery: maintenance-free battery, 12V100AH*3 Inverter, 12V to 240V, 3000W, with charging function External mains socket: 220V-240V, 15A

Gas system

9KG gas bottle holder*2

Accessories

Jack and guide wheel Front stone net Front tool box Manual Aluminum Alloy Step Ladder Fire extinguisher

Water System

Fresh water tank: 2*95L Grey tank: 125L Integrated bathroom External shower box (hot and cold water)

Application

MP5 player Micro-wave oven Range hood Reverse image Water heater: Truma 14L THETFORD 184L Three **Energy Refrigerator** THETFORD 3 gas 1 electric stove with oven and grill Thetford toilet Dometic Car Air Conditioner B3200 24 inch TV with TV stand


Sleeping Capacity

Berths: 2-3 person Mattress material: Foam mattress
















19FT SEMI OFF-ROAD CARAVAN ECO-HKI9 Luxury space with toilet and shower Fully equipped with kitchen and Freezer Functional double bed and big bed 5.970m 2.203m 4 75.1°2 Available and comfortable table and sofa Strong independent suspension system

19FT SEMI OFF-ROAD CARAVAN ECO-HK19

Body size: 5970(L)*2203(W)*2054(H)/mm Whole size: 8205(L)*2240(W)*2970(H)/mm

Maximum load: 540KG

Chassis material: iron pipe + hot-dip galvanized/galvanized pipe

Body structure: glass fiber reinforced plastic + aluminum frame + XPS + flame retardant board

+ glass fiber reinforced plastic, wall thickness 36mm Floor structure: plastic honeycomb panel + PVC floor glue



Sleeping

Number of beds: 4 (can sleep 5 people) Mattress material: sponge mattress

Restaurant space

Table: Pneumatic lift table Number of sofa seats: 4 Sofa: Fabric Sofa

Traction system

Connector: American standard connector; maximum traction force: 3400KG



Axle system

Double axle sliding leaf spring axle Number of Axes: Dual Axes Axle: 50*50 square steel Brake: hydraulic brake (AXLETEK) hydraulic disc brake Tire: 265/75R16



Water supply system

Clean water tank: 2*95L Sewage tank: 180L, black water tank 56L

Water heater: 12V electric water heater Water pump: 12V water pump,

flow 11.3LPM

Water inlet: PE water inlet Wet and dry bathroom

Accessories

Front guide wheel: middle lift type

Jacks: 4

Fire extinguisher: 1KG*1

Solar controller: 20A

Electrical appliances

Thetford 152L DC 12V Refrigerator Thetford 4 burner stove without oven In-line toilet Micro-wave oven

range hood MP3 player

Dometic B3200 Car Air Conditioner


storage front box







ECO-HK19



Power supply and electrical systems

Front car connector: 7-pin American standard round connector 50A Anderson plug Emergency braking system Reverse image Battery: maintenance-free battery, 12V100AH*3 Sine wave inverter, 12V to 220V, 3000W, with charging function

External power socket: 1 220V socket

Solar panel: 12V, 100W*2 Power display: power meter (digital display)

Water level display: clean water level meter, sewage level meter External mains socket: 220V-240V, 16A External charging cable: 10 meters

(American standard), USB socket + 1 cigarette lighter















IBFT HYBRID CARAVAN ECO-PIB

- Lightweight design and easy to tow
- Simple and quick set up
- Off road capability



13FT HYBRID CARAVAN ECO-P13

STANDARD FEATURES

Basic Information

Camper overall size: 6194(L)*2300(W)*2800(H) / mm Body size: 3951(L)*2202(W)*1702(H) / mm Chassis material: steel pipe + hot-dip galvanized Body structure: fiberglass+aluminum frame+XPS +fiberglass

Floor: Plastic Honey Comb+PVC Floor Glue

Berth

Queen size bed and two permanent Bunks Beds with sponge mattress

Restaurant space

Single Sofa with Swivel Table Sofa: black leather

Traction system

"Hitch: Australian standard off-road connector; maximum traction: 3500KG"

Suspension

Independent suspension system
Single axis
Brake: 12-inch electric brake with manual brake

Brake: 12-inch electric brake with manual brake Tire: 265/75R16

Water supply system

Fresh water tank: 2x95L Truma 14L Gas / Electric hot water heater External shower box (hot and cold water)

Gas system

9KG gas bottle holderx2

Power supply and electrical system

Front car connector: seven-core flat plug 50A Anderson plug Emergency brake system Tail lights Battery: maintenance-free battery, 12V150AHx3 Inverter, 12V to 240V, 2000W, with charging function Solar controller: 20A Control switch (with meter) Water level display: net water level meter External eletric socket: 220-240V, 15A

External clearing cable: 10 meters
"External electric socket: 1 220V socket

(Australian standard),

USB socket + 1 cigarette lighter*
Internal Kitchen Thetford 4-burner stove

Lighting: LED light


Electrical appliances

MP3 player Waterproof speakers 700x500 sunroof with light

Awning System

Retractable Awning: 3000 (L) x 2500

(W) /mm, Manual



Options

external kitchen Water Purifier 24 inch LCD TV 12V Digital TV Antenna

Accessories

Front tool box Front Jockey Wheel Side bumper Rear bumper









ISFT HYBRID CARAVAN ECO-PIS

STANDARD FEATURES

Basic Information

Overall size: 7700(L)*2201(W)*2890(H)/mm Camper size: 6800(L)*2200(W)*2630(H) / mm Chassis material: steel pipe + hot-dip galvanized Body structure: fiberglass+aluminum frame+XPS

Floor: Plastic Honey Comb+PVC Floor Glue

Queen size bed and two permanent Bunks Beds with sponge mattress

Restaurant space

Single Sofa with Swivel Table Sofa: black leather

Traction system

Hitch: Australian standard off-road connector; maximum traction: 3500KG

Independent suspension system

Brake: 12-inch electric brake with manual brake Tire: 265/75R16

Water supply system

Fresh water tank: 2x95L Truma 14L Gas / Electric hot water heater External shower box (hot and cold water)

Gas system


9KG gas bottle holderx2



Awning System

Retractable Awning: 3000 (L) x 2500

(W) /mm, Manual



Options

external kitchen Water Purifier 24 inch LCD TV 12V Digital TV Antenna

Accessories

Front tool box Front Jockey Wheel Side bumper Rear bumper



MP3 player Waterproof speakers 700x500 sunroof with light











Power supply and electrical system

Front car connector: seven-core flat plug 50A Anderson plug Emergency brake system Battery: maintenance-free battery, 12V150AHx3 Inverter, 12V to 240V, 2000W, with charging function Solar controller: 20A Control switch (with meter) Water level display: net water level meter

External eletric socket: 220-240V, 15A External charging cable: 10 meters Water level display: net water level meter External eletric socket: 220-240V, 15A External charging cable: 10 meters External electric socket: 1 220V socket (Australian standard), USB socket + 1 cigarette lighter Internal Kitchen Thetford 4-burner stove Lighting: LED light

















IZFT TOY HAULER CARAVAN €CO-TIZ — 🖫 🖳 🗓 🖆 🖆 🗯 —















Specification

Caravan size: 5674(L)*2310(W)*2985(H)/ mm Chassis material: iron tube+hot dip galvanized tube Body structure: Fiberglass+aluminum frame +XPS+ Fiberglass



Table: Folding expansion table Seats on sofa: 8 Sofa: Black artificial leather

Rear Balcony

Balcony quardrail Balcony mosquito-proof curtain

Water System

Fresh water tank: 95 L Grey water tank: 95 L Water heater: 10L

Axle and Suspension

Independent suspension system Single Axle Braking: 12-inch electric brake with manual brake Tyre: 265/75R16

Hitch: Australian standard off-road hitch; 3500KG



Electric Facilities

70L fridge Two-head gas burner Thetford toilet Range hood Dometic air conditioner 24" TV MP3 player Speaker *4 Bathroom ventilator *1 External folding table *1

Sleep capacity: 4 people Mattress material: spring mattress

Awning

Electrical awning: 3000(L)*2000(W)/ mm



Electric System

Front car connector: 7-core flat connector 50A Anderson plug Tail light set Battery: maintenance-free battery, 2* 12V100AH Sine wave inverter, 12V to 240V, 2000W, with charging function Solar panels: 12V, 100W*2 PCs Lighting: LED


















ECO-T12

TOY HAULER CARAVAN ECO-TI4 Part Mobile Garage - Part Living Area. 6.751.5m 2.645m 4 751.52 The enclosed area provides security and protection from weather. The built in cargo space eliminates the need to tow a separate trailer.

14.6FT TOY HAULER CARAVAN ECO-TI4 — 🛍 🖫 🖺 🖆 🚨 🗯















Caravan Dimension: 6751.5(L)*2385.5(W)*3147(H) Chassis: Steel tube+hotdipped galvanzied Body: Fiberglass sandwiches panel+aluminium frame



Water System

Fresh water tank: 2*95L Grev water tank: 125L Water heater: Truma 14L gas &electric

Electric Facilities WAECO 135L fridge

Dometic combination three-head cooker & sink Thetford toilet 24" TV Mircowave Range Hood Air conditioner MP5 and speakers

Axle and Suspension

Hitch: Australian standard off-road hitch; 3500KG Independent suspension system Single Axle

Braking: 12-inch electric brake with manual brake Tyre: 265/75R16

Awning

Manual awning with pole: 3500(L)* 2500(W)/ mm



Sleep

Sleep capacity: 3 people Mattress material: sponge+latex pad

Electric System

Front car connector: 7-core flat connector 50A Anderson plug Tail light set Battery: maintenance-free battery, 12V150AH x 2

Sine wave inverter, 12V to 240V, 2000W, with charging function Solar panels: 12V, 200W

Lighting: LED




Kitchen


Table: Removable table Seats on sofa: 4 Sofa: Black artificial leather Slide out kitchen














Suspension



I9FT TOY HAULER ECO-TI9

Specification

Body DIM: 5765(L)*2205(W)*2080(H)/mm Overall dim: 8050(L)*2385.5(W)*3075(H)/mm Chassis: Steel tube+hotdipped galvanzied Body: FRP+Aluminum frame+XPS+aluminum

composite panel.



Electric system

Emergency brake system +Reserving camera 50A Anderson plug Taillight set++License plate lamp

+Side light+Front position light

12V 150AH battery*2

3000W invertor with charge function

Solar controller: 20A Solar panels: 12V, 150W*2 Electric control & power sockets Floor: Plastic honeycomb panel+PVC, Standard Hitch

1*Main bed size:1980*1500 4*bunk bed size :2000*700 Mattress: Sponge+latex

Garage space: 2310(L)*1522(W)*1770(H)/mm,


Dirtbike: 2 units


Sofa:leather sofa + removable table

Indepence Suspension and dual axle, Axle: ø60 bar

12 inches electric brake with hand brake 16 inches alloy wheel, 265/75R16















Water System&Gas system

Water tanks: 2 x 95Ltr, Grey water tanks: 125Ltr Water heater: hot gas water heater Combo shower and toilet with shower head, Theford toilet





Thetford 152L dc 12V refrigerator Thetford 4 head gas stoves + Hood Microwave oven MP5 player+ internal and external speaker Dometic air conditioning Manual awning: 4000 (L) *2000 (W) /mm External shower box (hot+cold water)

Outside slide out kitchen with stoves and sink 24-inch LCD TV+ TV arm Front aluminum toolbox Bed curtain*2

















TEAROROP CARAVAN



Z

TEARDROP CARAVAN

Specifications

Caravan dimensions: 2758(L)*1592(W)*1462.5(H)/mm Material: Steel+Hot Dipped Zinc Fully Galvanized+Painted Caravan Structure: Wood+Weooden Frame+ Fiberglass



Water and Gas System

Clean Water Tank: 75L& Grey Water Tank* 75L External Shower Box(hot and cold water) Sink with lid 9KG Gas Bottle Holder*2


Power and Electrical Systems

Front Connector: 7 Core Cire Connector: 50A Anderson Plug Emergency Brake System Battery: Gel battery, 12V100AH*2& 25A battery charger



Indicator: Electricity meter, fresh water and grey water External socket: 220V-240V, 15A/ 1AU Standard 220V External charging cable: 10 meters

LAYOUT





Caravan bed:one bed can hold two people Material: sponge mattress

Appliance

Refrigerator: 50L Dometic two burner stove MP5 Player Inner stereo*2 Outside waterproof stereo * 1

Traction System

"Coupling:AU off-road coupler Max Drawer Pull: 2000KG"

Sticker

LOGO **Body Appearance Treatment**









Slide-out kitchen

Tent Syetem

Tent stand: three

Car side canopy awning: 2 (L) *3 (W) /m, Manual Roof Tent: 1.4224*1.2192*0.3048/m、capacity: 3 people

Adjustable Independent Suspension System Single Axle

Brake: 12 inch electric brake with manual brake

Tire: 235/75R15

Other Accessories

Front guide wheel: side mounted lift, Liftting Jack: 4 Level: Bubble Level Front Box/ Stone Net/Stainless Steel Pull Drawer





















Mintera de la comencia. Mantena de la comencia del comencia del comencia de la comencia del comencia del comencia de la comencia del come