

# ECOCAMPOR CAMPER TRAILER







**A** Guangdong Ecocampor Vehicle Co., Ltd specialized in the camper trailers and caravan research, development, production and sale, with a workshop occupied more than 60 thousand square meters.



**Workshop 1**



**Staff Cateen**



**Staff Domitory**



**Workshop 2 with 7 floor**

# COMPANY INTRODUCTION

**B** Our factory comprised of 4 large production lines, a showroom for product exhibition and office area, generates products covering a number of different types of camper trailers and caravan, utilizing high level technology, advanced equipment and modern factory automation line.

**C** With professional skilled workers, excellent engineers, management personnel joint us and with us for more than 10 years. R&D teams and in-house design with established experience, allows our factory to quickly answer to demanding requirements and create from scratchwhole programs and collections with rigorous quality standards.



2  
-sleep-



810  
-load-



# EC-OA • TRAILER



## ● Sleeping

Size of Rooftop Tent: 2400 (L) \* 1400 (W)  
Mattress: Spring Mattress

## ● Traction System

Connector: Model/CFA3500  
Max Payload: 3500KG  
Safety Chain \* 2

## ● Axle System

Independent Suspension System  
Axle: Single-axle  
Camper Axle: 50 Square Steel  
Shock Absorption: Spring + Stabilizer, Gross Load  
Weight: 1800KG  
Brake: 10 inch Electric Brake  
Hub: 16 inch Aluminium Alloy  
Tyre: 265/75 R16

## ● Water System

Fresh Water Tank: 1\*95L  
Water Pump: Voltage: 12V  
Maximum Flow: 11.3LPM  
Water Inlet: PE Water Inlet  
Tap: Hot and Cold Tap (CE)  
External Shower Box (hot and cold water)

## ● Gas System

9KG Gas Bottle Holder \* 2  
All Copper Gas Piping System  
External Kitchen (optional)

## ● Power Supply and Electrical System

Front Connector: 7 CORE  
Circle Connector  
50A Anderson Plug  
Emergency Brake System  
Number Plate Light: 2  
Side Light: 4  
Batteries: Maintenance Free Batteries



## ● Power Supply and Electrical System

Solar Controller: 20A  
Solar Panel: 12V, 100W \* 2  
Battery Indicator: Power gauge (Digital)  
Water Indicator: Fresh Water & Grey Water table  
External Main Socket: 110V-120V, 15A

## ● Appliances

Refrigerator: Alpicool 50L 12V  
Stoves Model: GR-904L  
MP3 Player Internal Stereo \* 2  
Rooftop Tent: 2400 (L) \* 1400 (W) / mm  
270° Awning Tent: 2500 (L) / mm



2  
-sleep-



810  
-load-



# EC-OB • TRAILER



## ● Sleeping

Size of Rooftop Tent: 2400 (L) \* 1400 (W)  
Mattress: Spring Mattress

## ● Traction System

Connector: Model/CFA3500  
Safety Chain\*2

## ● Axle System

Independent Suspension System  
Axle: Single-axle  
Camper Axle: 50 Square Steel  
Shock Absorption: Spring + Stabilizer  
Brake: 10 inch Electric Brake  
Hub: 16 inch Aluminium Alloy  
Tyre: 265/75 R16

## ● Water System

Fresh Water Tank: 1\*95L  
Water Pump Voltage: 12V  
Maximum Flow: 11.3LPM  
Water Inlet: PE Water Inlet  
Tap: Hot and Cold Tap (CE)  
External Shower Box (hot and cold water)

## ● Gas System

9KG Gas Bottle Holder\*2  
All Copper Gas Piping System  
External Kitchen (optional)

## ● Power Supply and Electrical System

Front Connector: 7CORE Circle Connector  
50A Anderson Plug  
Emergency Brake System  
Number Plate Light: 2  
Side Light: 4  
Solar Controller: 20A



## ● Power Supply and Electrical System

Batteries: Maintenance Free Batteries  
Solar Panel: 12V, 100W\*2  
Battery Indicator: Power gauge (Digital)  
Water Indicator: Fresh Water & Grey Water table  
External Main Socket: 110V-120V, 15A

## ● Appliances

Refrigerator: Alpicool 50L 12V  
Stoves Model: GR-904L  
Internal Stereo\*2  
Tent and Awning System:  
Rooftop Tent: 2400 (L) \* 1400 (W) /mm



2  
-sleep-



# EC-OC • TRAILER

## ● Basic Information

Trailer Body Overall  
Dimension: L3452\* W1900  
\* H1451mm  
Weight=452KG  
Body Material: Galvanized  
Sheet  
Independent Suspension  
System

## ● Safety System

Safety Chain x 2  
American/Australian  
Standard Coupler  
6" Jockey Wheel  
Hand Brake, Electric Brake  
and Absorber  
7 pin Flat/Round Connector  
265/75 R16 Tyre  
LED Light (Turning/Braking/Side)

## ● Storage Room

2 x Large Huge Drawer  
2 x Side Storage Drawer  
Front Tool Box with Lock  
Spare Tyre Rack  
Roof Top Tent Rack

## ● Optional

Jerry Can 20L  
Roof Top Tent  
Spare Tyre  
Custom Color and Logo





4  
-sleep-



810  
-load-



# TEARDROP • TRAILER



## ● Safety System

Φ50 ball connector  
10 inch electric brake with manual brake  
Wheel: 265/75R16  
Chassis tube: welded, hot-dip galvanized, square tube size 100\*50\*3.0mm

## ● Water system

water inlet  
Water purification tank 75L\*1  
Water heater

## ● Electrical system

Circuit control panel  
100AH Maintenance-free battery\*1  
2000W Inverter  
MP3 player  
Audio system (built-in audio)

## ● Kitchen system

Burner stoves with sink (CE certification or AGA certification)  
Gas bottle holder

## ● Leakage protector

Double hole with USB cigarette lighter (1 USB socket + 1 cigarette lighter)  
50A Andersin plug \*2  
External mains socket (110~240 V) 2 switches  
2 sockets \*1"  
Solar panel 12V, 100W \*2个

## ● Accessories

Refrigerator (Capacity:45L)  
Air conditioner





1800  
-load-



# TRADESMAN • TRAILER

## ● Basic Information

Trailer Body Overall  
Dimension: L 3450\*W 1810  
\*H 1760mm  
Weight= 1350KG  
Body Material: Galvanized  
Sheet  
Double Axle Leaf Spring  
Suspension

## ● Safety System

American/Australian  
Standard Coupler  
8" Jockey Wheel  
Hand Brake, Electric Brake  
and Absorber  
7pin Flat/Round Connector  
4 x 265/75 R16 Tyre

## ● Electric System

2 x 100AH Battery  
2000W Inverter  
USB Sockets & Cigar Lighters  
Control Panle with Switch  
Led Light(Lamp Light/Inside  
Storage)  
Mp3 Player and Bluetooth

## ● Storage Room

2 x Large Back Drawer  
4 x Side Storage Drawer  
Front Tool Box with Lock  
Movable Roof Rack





2  
-sleep-



# TOY HAULER • TRAILER

2300  
-load-



## ● Basic Information

Trailer Body Overall  
Dimension: L6100\* W2400  
\*H2250MM (Tent Included)  
Weight= 1650KG  
Body Material: Galvanized  
Sheet  
Double Axle Independent  
Suspension

## ● Safety System

American/Australian  
Standard Coupler  
8" Jockey Wheel  
Hand Brake, Electric Brake  
and Absorber  
7 pin Flat/Round Connector  
4 x 265/75 R16 Tyre

## ● Kitchen System

Slide Out Kitchen(2 Burner)  
Sink and Tap with Pump  
Water System 120L

## ● Electrical system

2 x 100AH Battery  
2000W Inverter  
USB Sockets & Cigar  
Lighters  
Control Panle with Switch  
Led Light(Lamp Light  
/Inside Storage)  
Mp3 Player and Bluetooth





4  
-sleep-



# REAR • FOLDING



## ● Basic Information

Body Dimensions: 2345(L)  
\*1755(W)\*780(H)/mm  
Overall Dimensions: 5076(L)  
\*1920(W)\*1550(H)/mm  
(Not includes the tent)  
Chassis: Steel + Hot Dipped  
Zinc Fully Galvanized  
Frame: Galvanized sheet

## ● Axle System

Off-road connector  
Safety chains\*2  
Front guide wheel  
Independent suspension  
Brake: 12 inch electric  
brake with hand brake

## ● Tire: 265/75R16

Spare tire rack  
Spare tire \* 1  
Emergency brake system

## ● Water & Gas System

Fresh Water Tank: 130L  
Filter  
Stainless steel kitchen hot  
and cold water faucet  
Food grade stainless steel  
square wash basin  
Water Inlet  
9kg Gas bottle holder\*2  
Slide-out fridge drawer  
Slide-out kitchen (Dometic  
double head burner)  
Water heater



## ● Electric System

Control panel    25A battery charger  
100AH battery\*2                      LED light  
50A Anderson plug    Light system  
Solar panel: 12V, 150W  
Solar controller

## MP5 player

Internal audio  
FM Radio Antenna  
Leakage protector  
External mains socket  
40L slide-out fridge

## ● Tent

Main tent (size): 4880(L)  
\*1827(W)\*2850(H)mm  
Side tent (size): 4880(L)  
\*4030(W)\*2850(H) mm



4  
-sleep-



# EXPEDITION X • TRAILER



## ● Basic Information

Body size:3869\*1803\*1170MM  
Main material:galvanized steel with powder coating  
Chassis:Q235 steel tube 100\*50\*3MM with hot dip galvanized treatment  
Coupler: 50MM,complied with ADR standard

- Safety chain\*2 pcs  
Independent coil suspension with shock absorber  
Alxe: single axles with 50MM square solid axle tubing  
16 inch Alloy rim with all terrain type off road\*3 pcs  
Jockey wheel and jack legs  
Front tool box( checker plate)

- Folding trailer tent with extra canvas protection  
270 awning  
Inside mattress: Queen Spring Mattress  
dining folding table  
Fridge : 50L DC 12V  
MP3 Player\*1 & Internal Stereo\*2

- 50A Anderson Plug with the 7 pin flat plug(AU standard)  
Electric brake with hand brkae system  
Battries: Maintebance Free Batteries, 12V100AH\*2



- 2000W Inverter, 12V to 240V  
Water Indicator  
Inside folding table and leather sofa  
Slide out kitchen with sink and stove(AGA)
- Water tank at bottom 80L  
Copper for gas wiring  
Inside 12v fans  
12v & 240v & USB power inside and outside
- 2x Solar panels 100W, 12V  
1x 9kg gas bottle holder & 1x jerry can petrol  
LED light system  
Shipping rack



4  
-sleep-



# FORWARD • FOLDING



## ● Basic Information

Body Dimensions: 2203(L)

\*1800(W)\*760(H)/mm

Overall Dimensions: 5160(L)

\*1900(W)\*1527(H)/mm

(Not includes the tent)

Chassis: Steel+Hot Dipped

Zinc Fully Galvanized

Frame: Galvanized sheet

## ● Axle System

Off-road connector

Safety chains\*2

Front guide wheel

Independent suspension

Brake:12 inch electric brake

with hand brake

## ● Tire: 265/75R16

Spare tire rack

Spare tire \* 1

Emergency brake system

## ● Water & Gas System

Fresh Water Tank: 150L

Water Inlet

External shower

External faucet

9kg Gas bottle holder\*2

Stainless steel roof rack

Slide-out fridge drawer

Slide-out kitchen(Dometic  
double head burner)

## ● Electric System

Control panel

30A battery charger

120AH 12V battery

LED light

50A Anderson plug



## ● Electric System

Light system

Leakage protector

Inverter

Solar panel: 12V, 100W

External mains socket

## ● Electric Appliance

40L slide-out fridge

MP5 player

FM Radio Antenna

12V water heater

## ● Tent

Main tent (size):

4430\*1800\*2620 mm

Side tent (size):

4430\*2200\*2620 mm



6  
-sleep-



# INFLATABLE TENT • TRAILER



## ● Basic Information

Body Size: L2995 x W2095 x H760 mm

Overall Size: L5588 x W2280 x H1650 mm

ATM: 2500 KG

GTM: 2300 KG

Tare Mass: 1300 KG

Max Loading weight: 1200KG

Ground Distance: 570 mm from drawbar

Chassis: steel tube with hot deep galvanized

Body: Glavanized sheet

## ● Component

Coupler: tow weight 2000 kg

Safety chains: 2pcs

## ● Axle System

Independent suspension single axle

Brake: 12 inch electric brake with hand brake

Emergency braking system

Rim: 16 inch ally rim

Tyre: 365/75R16

Spare Tyre x 1pc

## ● Water & Gas System

Fresh water tank: 100L

Gas water heater

9kg Gas bottle rack x 2pc

Stainless steel slide out kitchen with 4 burner stove

Australian standard gas system

## ● Electrical System

7 pin connceptor

50A Anderson plug

Tail light set

License plate lamp

Battery: 12V x 100ah x 2pcs



## ● Electrical System

Inverter: 12V to 230V, 2000W with charge function

Control panel City

charge: 250V 15A

In door LED light

## ● Electrical Appliance

50L 12V car refrigerator

4 burner stove with AGA certificate

MP3 player

Indoor Speaker x 2pcs

## ● Tent

Size: L6150 x W2145 x H2000 mm

Air pop up tent

Air pump with electrical control





Guangdong Ecocampor Vehicle Co.,Ltd

